

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. (Currently Amended) A method for use in ~~In~~ a database system in which ~~an object that is an instance of a user defined type can be persisted in a database store, wherein a definition of the~~ a user defined type is provided as defined by a class in managed code and comprises one or more fields ~~and behaviors~~, each field having a respective data type, a ~~the~~ method comprising:

defining a another class in managed code that represents an XML data type ~~for a field of a user defined type~~;

defining ~~a field~~ at least one of the fields within the managed code class ~~definition of a~~ that defines the user defined type, as an instance of the managed code class that represents the XML data type; and

persisting an instance of the user defined type within the database store, whereby a ~~said at least one~~ field of the persisted instance ~~can contain~~ contains XML data.

2. (Currently Amended) The method recited in claim 1, wherein the managed code class that represents the XML data type comprises at least one constructor and at least one method that returns an object through which the XML data in ~~the~~ said at least one field of the persisted instance of the user defined type can be retrieved.

3. (Currently Amended) The method recited in claim 1, further comprising adding a method to the managed code class definition of the user defined type to implement a behavior on ~~the~~ said at least one field of the user defined type ~~that is defined as an instance of the managed code class that represents the XML data type~~.

4. (Currently Amended) The method recited in claim 1, further comprising the step of associating ~~the~~ said at least one field of ~~an~~ the instance of the user defined type ~~that contains XML data~~ with an XML Schema that defines a content model for the XML data in the field.

5. (Original) The method recited in claim 4, wherein said associating step comprises annotating the managed code class definition of the user defined type with an attribute that identifies the XML Schema on a server that hosts the database store.

6. (Currently Amended) The method recited in claim 1, further comprising at least one of the steps of:
querying ~~an~~ the instance of the user defined type persisted within the database store;
and
modifying ~~an~~ the instance of the user defined type persisted within the database store.

7. (Currently Amended) A system comprising:
a runtime that provides managed code execution, the runtime comprising:
a class in managed code that represents an XML data type; and
a another class in managed code that defines a user defined type ~~for storage of objects of that type within a database store~~, the class definition for the user defined type comprising one or more fields, each field having a respective data type and at least one of said fields being defined as an instance of the managed code class; and
a database store for storing an instance of the user defined type, whereby a said at least one field of the persisted instance ~~can contain~~ contains XML data.

8. (Original) The system recited in claim 7, wherein the managed code class that represents the XML data type comprises at least one constructor and at least one method that returns an object through which the XML data in the field of the persisted instance of the user defined type can be retrieved.

9. (Original) The system recited in claim 7, wherein the managed code class that defines the user defined type further comprises a method that implements behavior on the field of the instance of the user defined type that contains XML data.

10. (Currently Amended) The system recited in claim 7, wherein the managed code class that defines the user defined type further comprises an association between ~~the~~

said at least one field of ~~an~~ the instance of the user defined type that contains XML data and an XML Schema that defines a content model for the XML data in the field.

11. (Original) The system recited in claim 10, wherein the association comprises an attribute applied to the field within the managed code class that defines the user defined type, the attribute identifying the XML Schema on a server that hosts the database store.

12. (Currently Amended) A computer readable medium having program code stored thereon ~~for use in a system in which an object that is an instance of a user defined type can be persisted in a database store~~, said program code causing a computer to comprising:
define a first class in managed code that represents an XML data type ~~for a field of a user defined type~~;

define a second class in managed code that defines a user defined type, the second class comprising one or more fields ~~and behaviors~~, each field having a respective data type, at least one of the fields within the second class being defined as an instance of the first class, and

~~said program code, when executed on a computer, enabling the computer to persist an instance of the user defined type within the a database store, wherein said at least one field of the persisted instance contains XML data.~~

13. (Currently Amended) The computer readable medium recited in claim ~~1~~ 12, wherein the first class comprises at least one constructor and at least one method that returns an object through which the XML data in the field of the persisted instance of the user defined type can be retrieved.

14. (Currently Amended) The computer readable medium recited in claim 12, wherein the second class further comprises a method that implements behavior on said at least one field of the user defined type ~~that is defined as an instance of the first class.~~

15. (Currently Amended) The computer readable medium recited in claim 12, wherein said at least one field of ~~an~~ the instance of the user defined type ~~that contains XML~~

data is associated with an XML Schema that defines a content model for the XML data in the field.

16. (Original) The computer readable medium recited in claim 15, wherein said at least one field is associated with said XML Schema by an annotation to the definition of said at least one field in the second class of an attribute that identifies the XML Schema on a server that hosts the database store.

17. (Currently Amended) The computer readable medium recited in claim 12, wherein said program code further ~~enables~~causes the computer to:

- query ~~an~~ the instance of the user defined type persisted within the database store; and
- modify ~~an~~ the instance of the user defined type persisted within the database store.